



5' Chevron

18"x 24" flexible High Intensity yellow reflective sheeting with black ink.

White panel and post.


Overall height of unit is 60"



Drivable Base

BASE OPTIONS

This product can be used with:
Drivable Base, or
Surface Mount Fixed Base



Surface Mount: Fixed Base

SPECIFICATIONS

- Post and panel is constructed of flexible plastic that is resistant to: ultraviolet light, ozone, and hydrocarbons.
- Unit has an anti-twist reactive spring assembly that rebounds to upright when struck.
- Meets MUTCD Specifications
- Federal Acceptance: WZ-2

RECOMMENDED USES



- Ideal for guiding motorists through changes in road alignment.

Median Chevron

18"x24" flexible high intensity yellow reflective sheeting with black ink.

White panel and post.


Overall height of unit is 36"



Drivable Base

BASE OPTIONS

This product can be used with:
Drivable Base, or
Surface Mount Fixed Base



Surface Mount: Fixed Base



SPECIFICATIONS

- Post and panel is constructed of flexible plastic that is resistant to: ultraviolet light, ozone, and hydrocarbons.
- Unit has an anti-twist reactive spring assembly that rebounds to upright when struck.
- Meets MUTCD Specifications
- Federal Acceptance: WZ-2

RECOMMENDED USES



- Ideal for use in delineating sharp curves and obstructions in roadway.
- Designed for use on concrete median barrier.

5' Chevron


18" x 24" flexible Diamond Grade™ orange reflective sheeting with black ink.

Orange panel and post.


Overall height of unit is 60"



One Base® Portable Quick Release Base



Surface Mount:
Fixed Base



BASE OPTIONS

This product can be used with either the One Base® Portable Quick Release Base or Surface Mount Fixed Base

SPECIFICATIONS

- Post and panel is constructed of flexible plastic that is resistant to: ultraviolet light, ozone, and hydrocarbons.
- Unit has an anti-twist reactive spring assembly that rebounds to upright when struck.
- Meets MUTCD Specifications
- Federal Acceptance: WZ-2

RECOMMENDED USES



- Ideal for guiding motorists through changes in road alignment in a work zone.

Median Chevron


18"x 24" flexible
Diamond Grade™
orange reflective
sheeting with
black ink.

Orange panel and
post.


Overall height of
unit is 36"



One Base® Portable Quick Release Base



Surface Mount:
Fixed Base



BASE OPTIONS

This product can be used with either the
One Base® Portable Quick Release Base
or
Surface Mount Fixed Base

SPECIFICATIONS

- Post and panel is constructed of flexible plastic that is resistant to: ultraviolet light, ozone, and hydrocarbons.
- Unit has an anti-twist reactive spring assembly that rebounds to upright when struck.
- Meets MUTCD Specifications
- Federal Acceptance: WZ-2

RECOMMENDED USES

- Ideal for use in delineating sharp curves and obstructions in roadway.
- Designed for use on concrete median barriers.